AUTHORS INDEX

A

ALBAUGH, ROSCOE P. (*See* Lambright and Albaugh), 590

ALLES, GORDON A., PINESS, GEORGE, AND MILLER, HYMAN. Preparation and stability of food allergen extracts, 5

ANDRE, ROSE, AND GROVE, R. CLARK. General anesthesia in allergic patients, review of 204 cases of tonsillectomy and radical antrum operations, 536

B

BARNARD, JAMES H. (*See* Hebald and Barnard), 533

BARRETT, CHARLES ELMER. Studies in hay fever, clinical observations including a botanical and air survey of the Utah region, 406

BEARDWOOD, JOSEPH T. (*See* Murphy, Beardwood, and Miller), 606

BENNETT, RICHARD H., AND SCHWARTZ, EMANUEL. Castor bean dust sensitization, 427

BENSON, ROBERT L. Allergic relations of normal and abnormal floras of intestine, 152

BLACK, J. H., AND SHELMIRE, BEDFORD. Urinary proteose in allergy, 373

BOWMAN, KATHERINE L. On "protein unit" standardization of pollen extracts proposed by Cooke and Stull, 341

BRUNNER, MATTHEW. Active sensitization in human beings, 257

BUCHER, C. S., AND KEELER, CLYDE E. Inheritance of allergy, 611

BULLEN, STEARNS S. Perennial hay fever from Indian gum (karaya gum), 484

BURKY, EARL. Production in rabbit of hypersensitive reactions to lens, rabbit muscle and low ragweed extracts by action of staphylococcus toxin, 466

C

CAREY, T. NELSON, AND GAY, LESLIE N. Skin reactions in infants. Susceptibility of skin of newborn to passive atopic sensitization, comparison with reactions to histamine, 488

CAULFEILD, A. H. W. Some comments upon antigens and practice of allergy, 1

COCA, ARTHUR F. New definition of Noon pollen unit, 345

COHEN, MILTON B., RUDOLPH, J. A., WASSERMAN, P., AND ROGOFF, J. M. Studies on relation of adrenal glands to allergic phenomena. I. Output of epinephrine during anaphylactic shock in dogs, 221

—. (*See* Rudolph and Cohen), 476

COHEN, VICTOR L., AND GOODALE, MARY LOUISE. Rapid standardization of protein extracts by determining their nitrogen content, 70

COLE, JULIA, AND KORNS, HORACE M. Visceral manifestations of angioneurotic edema, 347

COOKE, ROBERT A. Address commemorating tenth anniversary of Society for Study of Asthma and Allied Conditions, 527

—. (*See* Grove and Cooke), 621

COOLEY, LAURENCE E. (*See* Vaughan and Cooley), 37

CORMIA, FRANK E. (*See* Stewart and Cormia), 575

CRANDALL, LATHAN A., AND FEINBERG, SAMUEL M. Blood inorganic phosphorus in allergy, 515

CROMWELL, HOBART W. (*See* Unger, Moore, Cromwell, and Seeber), 115

D

DONNALLY, H. H., AND NICHOLSON, MARGARET M. Early, active, virus immunity, with particular reference to vaccinia in newborn infants, 592

DUKE, W. W. Soy bean as a possible important source of allergy, 300

F

FEINBERG, SAMUEL M., AND STEINBERG, MEYER J. Studies in pollen potency, 19

—. (*See* Crandall and Feinberg), 515

FIGLEY, KARL D., AND PARKHURST, HOWARD J. Silk sensitivity. With especial reference to its rôle in atopic eczema, 60

FINK, ARTHUR L., AND GAY, LESLIE N. Critical review of 170 cases of urticaria and angioneurotic edema followed for a period of from two to ten years, 615

FISHER, DANIEL C. Hypersensitivity to bees successfully treated with whole bee extract, 519

G

GAY, LESLIE N. (*See* Carey and Gay), 488

—. (*See* Fink and Gay), 615

GELFAND, H. HAROLD, AND VICTOR, GEORGE. Sedimentation rate in hay fever, before and during the seasonal exacerbation, 583

GOODALE, MARY LOUISE. (*See* Cohen and Goodale), 70

GROLNICK, MAX. (*See* Walzer and Grolnick), 240

GROTHAUS, EMMA M. (*See* Kahn and Grothaus), 45

GROVE, R. CLARK, AND COOKE, R. A. Effect of sinus surgery in asthma with infection, 621

—. (*See* Andre and Grove, 536

H

HANSEL, FRENCH K. Observations on cytology of secretions in allergy of nose and paranasal sinuses, 357

HARKAVY, JOSEPH. Skin reactions to tobacco antigen in smokers and nonsmokers, 131

HARSCH, GEORGE F. (*See* Huber and Harsch), 432

HATHAWAY, MILICENT L. (*See* Rappaport, Reed, Hathaway, and Struck), 541

HEBALD, SELIAN, AND BARNARD, JAMES H. Observed differences between giant (trifida) and dwarf (artemisiaefolia) ragweed pollen, 533

HUBER, HARRY L., AND HARSCH, GEORGE F. So-called "nonallergic" vasomotor rhinitis, 432

K

KAHN, I. S., AND GROTHAUS, EMMA M. Antigen-free room in detection and control of cutaneous anergy in pollen bronchial asthma, 45

KAMPMEIER, R. H. Ephedrine in allergic migraine, 74

KEELER, CLYDE E. (*See* Bucher and Keeler), 611

KERR, PHYLLIS S., PASCHER, FRANCES, AND SULZBERGER, MARION B. Monilia and trichophyton extracts; their combined use in eczematous ringworm (dermatophytosis and dermatophytids), 288

KIBLER, CHARLES S. (*See* Watson and Kibler), 197

KORNS, HORACE M. (*See* Cole and Korns), 347

L

LAMBRIGHT, GEORGE L., AND ALBAUGH, ROSCOE P. Perennial hay fever from lycopodium, 590

LAMSON, R. W., AND WATRY, ALVA. Survey of a botanic oasis in desert of northern Arizona, 389

—. (*See* Watry and Lamson), 166

LARUSH, FLORENCE. Pollen content of air in Toronto, Canada, 1932, 306

LICHTENSTEIN, M. R. Intravenous pollen therapy, 230

M

MAURER, SIEGFRIED. Adjuncts in treatment of symptoms frequently associated with allergy, 88

MEEKER, MIRIAM G. (*See* Spain, Newell, and Meeker), 571

MILLER, HYMAN. (*See* Alles, Piness, and Miller), 5

MILLER, MERLE M. (*See* Murphy, Beardwood, and Miller), 606

MILLER, M. M. (*See* Wilmer and Miller), 628

MOORE, MARJORIE B., AND UNGER, LEON. Studies on pollen and pollen extracts. XII. Enzyme digestion of pollen allergens, 338

—. (*See* Unger and Moore), 561

—. (*See* Unger, Moore, Cromwell, and Seeber), 115

MURPHY, JOHN A., BEARDWOOD, JOSEPH T., AND MILLER, MERLE M. Report on insulin sensitivity with attempt at passive transfer, 606

N

NELSON, TELL. Constitution and allergic manifestations. I. Age-sex incidence of allergic conditions, 124

NEWELL, JOHN M. (*See* Spain and Newell), 331, 455

—. (*See* Spain, Newell, and Meeker), 571

NICHOLSON, MARGARET M. (*See* Donnally and Nicholson), 592

O

OSGOOD, HOWARD. Comparison of reagins of separate species of Caddis fly, 367

P

PARKHURST, HOWARD J. (*See* Figley and Parkhurst), 60

PARLATO, SALVATORE J. Workmen compensation cases as seen by the allergist, 212

—, AND SWARTHOUT, GERTRUDE. Study of silk allergen, 505

PASCHER, FRANCES. (*See* Kerr, Pascher, and Sulzberger), 288

PHILLIPS, E. W. Intradermal pollen therapy during the attack, 29

PINESS, GEORGE. (*See* Alles, Piness, and Miller), 5

PRINZMETAL, MYRON. Relation of inspiratory distention of lungs to emphysema, 493

R

RACKEMANN, FRANCIS M. (*See* Simon and Rackemann), 439, 451

RAPPAPORT, B. Z. Preservation of pollen extracts by drying and preparation of concentrated pollen solutions, 13

—, REED, C. I., HATHAWAY, MILICENT L., AND STRUCK, H. C. Treatment of hay fever and asthma with viosterol of high potency, 541

REED, C. I. (*See* Rappaport, Reed, Hathaway, and Struck), 541

RINKEL, HERBERT J. Headaches due to allergy, 318

ROGOFF, J. M. (*See* Cohen, Rudolph, Wasserman, and Rogoff), 221

ROWE, ALBERT H. Evaluation of skin reactions in food sensitive patients, 135

—. Camomile (Anthemis cotula) as a skin irritant, 383

RUDOLPH, J. A., AND COHEN, MILTON B. Vasomotor rhinitis with negative skin tests: local nasal allergy, 476

—. (*See* Cohen, Rudolph, Wasserman, and Rogoff), 221

S

SCHWARTZ, EMANUEL. (*See* Bennett and Schwartz), 427

SEEBER, CONSTANCE H. (*See* Unger, Moore, Cromwell, and Seeber), 115

SHELMIRE, BEDFORD. (*See* Black and Shelmire), 373

SIMON, FRANK A., AND RACKEMANN, FRANCIS M. Development of hypersensitiveness in man. I. Following intradermal injection of antigen, 439

—, and —. Development of hypersensitiveness in man. II. Absorption of antigen through nasal mucous membrane, 451

SPAIN, W. C., AND NEWELL, JOHN M. On reagin content of blister fluid, 331

—, and —. Ultrafiltration of ragweed pollen extracts, 455

—, —, AND MEEKER, MIRIAM G. Percentage of persons susceptible to poison ivy and poison oak, 571

STEINBERG, MEYER J. (*See* Feinberg and Steinberg), 19

STEVENS, FRANKLIN. Comparison of pulmonary and dermal sensitivity to inhaled substances, 285

STEWART, SLOAN G., AND CORMIA, FRANK E. Experimental nickel dermatitis, 575

STEWART, ZELLA WHITE. Importance of adequate tests and their proper evaluations, 148

STRAUS, HENRY W. Experimental study of etiology of dermatitis venenata, 568

STRUCK, H. C. (*See* Rappaport, Reed, Hathaway, and Struck), 541

SULZBERGER, MARION B., AND VAUGHAN, WARREN T. Experiments in silk hypersensitivity and inhalation of allergen in atopic dermatitis (neurodermatitis disseminatus), 554

—. (*See* Kerr, Pascher, and Sulzberger), 288

SWARTHOUT, GERTRUDE. (*See* Parlato and Swarthout), 505

SWINEFORD, OSCAR. Studies of anaphylactic antibody, 265

T

TAUB, SAMUEL J., AND ZAKON, SAMUEL J. Neurodermatitis due to protein sensitization, 53

TEDSTROM, MILO K. Active transmission of urticaria by blood transfusion, 303

TEMPLETON, H. J. Tricophytin—its use according to allergic principles, 521

TOUART, M. D. Effects of immunization upon vaccine skin reactions, 627

TUMPEER, I. HARRISON. Allergic nature of infantile diatheses and associated frequency of a widened mediastinal shadow (thymus?), 214

U

UNGER, LEON, AND MOORE, MARJORIE B. Studies on pollen and pollen extracts. XI. Chemical nature of pollen allergens, 115

—, and —. Studies on pollen and pollen extracts. XIII. Dextrose pollen extracts: therapeutic results in 1933, 561

—. (*See* Moore and Unger), 338

V

VAUGHAN, WARREN T. Food allergens. III. Leucopenic index, 601

—. Minor allergy: its distribution, clinical aspects and significance, 184

—, AND COOLEY, LAURENCE E. Air conditioning as a means of removing pollen and other particulate matter and of relieving pollinosis, 37

—. (*See* Sulzberger and Vaughan), 554

VICTOR, GEORGE. (*See* Gelfand and Victor), 583

W

WALDBOTT, GEORGE L. Human anaphylactic shock. III. From substances other than pollen and serum, 218

—. Pulmonary lesions resembling pneumonia as result of allergic shock, 531

WALZER, ABRAHAM, AND GROLNICK, MAX. Relation of papular urticaria and prurigo mitis to allergy, 240

WASSERMAN, P. (*See* Cohen, Rudolph, Wasserman, and Rogoff), 221

WATRY, ALVA, AND LAMSON, R. W. Probable etiology of pollinosis in Gallup, New Mexico, 166

—. (*See* Lamson and Watry), 389

WATSON, SAMUEL H., AND KIBLER, CHARLES S. Drinking water as cause of asthma, 197

WESTCOTT, F. H. Migraine headaches, recent advances in classification, diagnosis, and treatment, 624

WILMER, H. B., AND MILLER, M. M. Case of epilepsy presenting unusual manifestations, 628

Z

ZAKON, SAMUEL J. (*See* Taub and Zakon), 53

SUBJECT INDEX

A

Address commemorating tenth anniversary of Society for Study of Asthma and Allied Conditions, 527
Adrenal glands, relation of, to allergic phenomena, 221, 323
Age-sex incidence of allergic conditions, 124, 210
Air analysis, 408
  conditioning as means of removing pollen and other particulate matter and of relieving pollinosis, 37, 90
  pollen content of, in Toronto in 1932, 306
Allergen extracts, food, preparation and stability of, 5, 100
  silk, study of, 505
Allergens, food, leucopenic index, 601
  pollen, chemical nature of, 115
    enzyme digestion of, 338
Allergic manifestations and constitution, age-sex incidence of allergic conditions, 124, 210
  migraine, ephedrine in, 74
  nature of infantile diatheses and associated frequency of widened mediastinal shadow (thymus?), 214
  patients, general anesthesia in, review of tonsillectomy and radical antrum operations, 536
  persons, blood sugar in, 328 (Abst.)
  phenomena, relation of adrenal glands to, 221, 323
  reaction to dinitrophenol, 525 (Abst.)
  relations of normal and abnormal floras of intestine, 152, 207
  shock, pulmonary lesions resembling pneumonia as result of, 531
  skin conditions, histogenic antibodies in, demonstration of, 436 (Abst.)
Allergist, workmen compensation cases seen by, 212
Allergy, blood inorganic phosphorus in, 515
  cottonseed, 631 (Abst.)
  headaches due to, 318
  inheritance of, 611
  minor, its distribution, clinical aspects and significance, 184, 211
  nasal, local, in vasomotor rhinitis with negative skin tests, 476
  of nose and paranasal sinuses, cytology of secretions in, 357, 432
  pollen, pyrethrum sensitization in, 524 (Abst.)
  practice of, comments upon antigens and, 1
  relation of papular urticaria and prurigo mitis to, 240
    to general resistance in streptococcic infection, 437 (Abst.)
Allergy—Cont'd
  soy bean as possible important source of, 300, 322
  urinary proteose in, 373
Anaphylactic antibody, studies of, 265, 324
  shock, human, from substances other than pollen and serum, 218
    in dogs, output of epinephrine during, 221, 323
Anaphylactogenic properties of purified milk proteins, raw, evaporated, superheated, dried and acidified milk, 436 (Abst.)
Anaphylaxis and autohemotherapy, 329 (Abst.)
  cerebral, local, in dog, 525 (Abst.)
  local, in different organs, comparative studies on, 329 (Abst.)
    of different organs, comparative experiments, 526 (Abst.)
Anatomy of asthma as disclosed by lipiodol investigation, 327 (Abst.)
Anergy, cutaneous, in pollen bronchial asthma, antigen-free room in detection and control of, 45, 90
Anesthesia, general, in allergic patients, review of tonsillectomy and radical antrum operations, 536
Angioneurotic edema and urticaria, critical review of 170 cases of, followed from two to ten years, 615
    visceral manifestations of, 347
Anthemis cotula, 383
Antigen, absorption of, through nasal mucous membrane, development of hypersensitiveness in man, 451
  intradermal injection of, development of hypersensitiveness in man following, 439
  tobacco, skin reactions to, in smokers and nonsmokers, 131
Antigen-free room in detection and control of cutaneous anergy in pollen bronchial asthma, 45, 90
Antigens, bacterial, 156
  comments upon, and practice of allergy, 1
Antibodies, histogenic, in allergic skin conditions, demonstration of, 436 (Abst.)
Arizona, northern, survey of botanic oasis in desert of, 389
Asthma, anatomy of, as disclosed by lipiodol investigation, 327 (Abst.)
  and hay fever, treatment of, with viosterol of high potency, 541
  bronchial, carbon dioxide inhalation in treatment of, 630 (Abst.)

Asthma—Cont'd
bronchitic, effect of surgery on, 328 (Abst.)
drinking water as cause of, 197, 199
pollen bronchial, antigen-free room in detection and control of cutaneous anergy in, 45, 90
with infection, effect of sinus surgery in, 621
Association for Study of Allergy, 76, 199, 318, 432
Atopic dermatitis (neurodermatitis disseminatus), experiments in silk hypersensitivity and inhalation of allergen in, 554
eczema, rôle of silk sensitivity in, 60, 102
sensitization, passive, susceptibility of skin of newborn to, 488
Autogenous vaccine treatment, 163
Autohemotherapy and anaphylaxis, 329 (Abst.)

B

Bacterial antigens, 156
Bean, castor, dust sensitization, 427
soy, as possible important source of allergy, 300, 322
Bees, hypersensitivity to, successfully treated with whole bee extract, 519
Blister fluid, reagin content of, 331
Blood inorganic phosphorus in allergy, 515
sugar in allergic persons, 328 (Abst.)
transfusion, active transmission of urticaria by, 303
Botanic oasis in desert of northern Arizona, survey of, 389
Bronchial asthma, carbon dioxide inhalation in treatment of, 630 (Abst.)
pollen, antigen-free room in detection and control of cutaneous anergy in, 45, 90
Bronchitic asthma, effect of surgery on, 328 (Abst.)

C

Caddis fly, comparison of reagins to separate species of, 367
Camomile as skin irritant, 383
Carbon dioxide inhalation in treatment of bronchial asthma, 630 (Abst.)
Castor bean dust sensitization, 427
Cerebral anaphylaxis, local, in dog, 525 (Abst.)
Chemical compounds, sensitization of guinea pigs with, 526 (Abst.)
Compensation cases, workmen, seen by allergist, 212
Constitution and allergic manifestations, age-sex incidence of allergic conditions, 124, 210
Cooke and Stull's protein unit standardization of pollen extracts, 341
Cornea, bilateral necrosis of, following use of hair dye on eyebrows and lashes, 329 (Abst.)
Cottonseed allergy, 631 (Abst.)
Cutaneous anergy in pollen bronchial asthma, antigen-free room in detection and control of, 45, 90
lesions, mode of appearance, 54
protection tests, 155

D

Dermal and pulmonary sensitivity, comparison of, to inhaled substances, 285
Dermatitis, atopic (neurodermatitis disseminatus), experiments in silk hypersensitivity and inhalation of allergen in, 554
nickel, experimental, 575
sawdust, 327 (Abst.)
venenata, etiology of, experimental study of, 568
Dermatophytids, 288
Dermatophytosis, 288
Desensitization to insulin allergy, 524
Desert of northern Arizona, survey of botanic oasis in, 389
Dextrose pollen extracts, preparation of, 564
therapeutic results in 1933, 561
Dinitrophenol, allergic reaction to, 525 (Abst.)
Dog, local cerebral anaphylaxis in, 525 (Abst.)
Drinking water as cause of asthma, 197, 199
Dust, castor bean, sensitization, 427
Dwarf and giant ragweed pollen, observed differences between, 533
Dye, hair, use of, on eyebrows and lashes, bilateral necrosis of cornea following, 329 (Abst.)

E

Eczema, atopic, rôle of silk sensitivity in, 60, 102
Eczematous child, urticarial idiosyncrasy to egg white in, 631 (Abst.)
Edema, angioneurotic, and urticaria, critical review of 170 cases of, followed from two to ten years, 615
visceral manifestations of, 347
Egg white, urticarial idiosyncrasy to, in eczematous child, 631 (Abst.)
Emphysema, relation of inspiratory distention of lungs to, 493
Enzyme digestion of pollen allergens, 338
Ephedrine in allergic migraine, 74
Epilepsy, case presenting unusual manifestations, 628

Epinephrine, output of, during anaphylactic shock in dogs, 221, 323
Extract, pollen, dried and redissolved, activity of, 15
solubility of, 14
whole bee, hypersensitivity to bees successfully treated with, 519
Extracts, dextrose pollen, preparation of, 564
food allergen, preparation and stability of, 5, 100
gland, negative skin reactions to, 438 (Abst.)
lens, rabbit muscle and low ragweed, hypersensitive reactions, production in rabbit of, by action of staphylococcus toxin, 466
monilia and trichophyton, their combined use in eczematous ringworm, 288
pollen, 338
dextrose, therapeutic results in 1933, 561
preservation of, by drying and preparation of concentrated pollen solutions, 13, 85
protein unit standardization of, proposed by Cooke and Stull, 341
ragweed, ultrafiltration of, 455
studies on, 115
protein, rapid standardization of, by determining their nitrogen content, 70

F

Filtration of ragweed pollen extract, 456
Floras of intestine, allergic relations of normal and abnormal, 152, 207
Fly, Caddis, comparison of reagins to separate species of, 367
Food allergen extracts, preparation and stability of, 5, 100
leucopenic index, 601
sensitive patients, skin reactions in, evaluation of, 135, 202

G

Gallup, New Mexico, pollinosis in, probable etiology of, 166
Gastrointestinal wall, normal, passage of native proteins through, 630 (Abst.)
Giant and dwarf ragweed pollen, observed differences between, 533
Gland extracts, negative skin reactions to, 438 (Abst.)
Glands, adrenal, relation of, to allergic phenomena, 221, 323
Guinea pigs, sensitization of, with simple chemical compounds, 526 (Abst.)

H

Hay fever and asthma, treatment of, with viosterol of high potency, 541
and its allied conditions, treatment of, 632 (Abst.)
clinical observations including botanical and air survey of Utah region, 406
intradermal pollen therapy during attack, 29, 78
patients, ragweed, Prausnitz-Küstner reaction with serums of, to ragweed carbohydrate fraction, 436 (Abst.)
perennial, from Indian gum (karaya gum), 484
from lycopodium, 590
sedimentation rate in, 583
symptoms and travel, 420
Headaches due to allergy, 318
migraine, recent advances in classification, diagnosis, and treatment, 624
Human anaphylactic shock from substances other than pollen and serum, 218
beings, active sensitization in, 257
Hypersensitive reactions to lens, rabbit muscle and low ragweed extracts, production in rabbit of, by action of staphylococcus toxin, 466
Hypersensitiveness in man, development of, absorption of antigen through nasal mucous membrane, 451
following intradermal injection of antigen, 439
Hypersensitivity, silk, and inhalation of allergen in atopic dermatitis (neurodermatitis disseminatus), experiments in, 554
to bees successfully treated with whole bee extract, 519

I

Immunity, virus, early active, with particular reference to vaccinia in newborn infants, 592
Immunization, effects of, upon vaccine skin reactions, 627
Index, leucopenic, in food allergens, 601
Indian gum, perennial hay fever from, 484
Infantile diatheses, allergic nature of, and associated frequency of widened mediastinal shadow, 214
Infection, streptococcic, general resistance in, relation of allergy to, 437 (Abst.)
Inhalation of allergen, silk hypersensitivity and, in atopic dermatitis (neurodermatitis disseminatus), experiments in, 554

Inhalation—Cont'd
of carbon dioxide in treatment of bronchial asthma, 630 (Abst.)
Inhaled substances, pulmonary and dermal sensitivity to, 285
Inheritance of allergy, 611
Injections, pollen, and viosterol in therapy, 546
Inorganic phosphorus of blood in allergy, 515
Inspiratory distention of lungs, relation of, to emphysema, 493
Insulin allergy, desensitization to, 524 (Abst.)
sensitivity, report on, with attempt at passive transfer, 606
Intestine, normal and abnormal floras of, allergic relations of, 152, 207
Intradermal injection of antigen, development of hypersensitiveness in man following, 439
pollen therapy during attack, 29, 78
Intravenous pollen therapy, 230
Irritant, skin, camomile as, 383

K

Karaya gum, perennial hay fever from, 484

L

Lens extract, hypersensitive reactions to, production in rabbit of, by action of staphylococcus toxin, 466
Lesions, cutaneous, mode of appearance, 54
pulmonary, resembling pneumonia as result of allergic shock, 531
Leucopenic index in food allergens, 601
Lipiodol investigation, anatomy of asthma as disclosed by, 327 (Abst.)
Lungs, inspiratory distention of, relation of, to emphysema, 493
Lycopodium, perennial hay fever from, 590

M

Man, hypersensitiveness in, development of, absorption of antigen through nasal mucous membrane, 451
following intradermal injection of antigen, 439
Mechanism of urticarial idiosyncrasy to egg white in eczematous child, 630 (Abst.)
Mediastinal shadow, widened, allergic nature of infantile diatheses and associated frequency of, 214
Membrane, nasal mucous, absorption of antigen through, development of hypersensitiveness in man, 451
Migraine, allergic, ephedrine in, 74
headaches, recent advances in classification, diagnosis, and treatment, 624
Milks, raw, evaporated, superheated, dried and acidified, anaphylactogenic properties of, 436 (Abst.)
Minor allergy, its distribution, clinical aspects and significance, 184, 211
Monilia and trichophyton extracts; their combined use in eczematous ringworm, 288
Mucous membrane, nasal, absorption of antigen through, development of hypersensitiveness in man, 451

N

Nasal allergy, local, in vasomotor rhinitis with negative skin tests, 476
mucous membrane, absorption of antigen through, development of hypersensitiveness in man, 451
Neurodermatitis due to protein sensitization, 53, 102
Newborn, susceptibility of skin of, to passive atopic sensitization, 488
Nickel dermatitis, experimental, 575
Nitrogen content of protein extracts, 70
determinations in ragweed pollen extracts, 460
Nonallergic vasomotor rhinitis, so-called, 432
Noon pollen unit, new definition of, 345
Nose and paranasal sinuses, allergy of, cytology of secretions in, 357, 432

O

Oasis, botanic, in desert of northern Arizona, survey of, 389

P

Papein digestion, 339
Papular urticaria and prurigo mitis, relation of, to allergy, 240
Paranasal sinuses and nose, allergy of, cytology of secretions in, 357, 432
Passage of native proteins through normal gastrointestinal wall, 630 (Abst.)
Passive transfer, attempt at, in insulin sensitivity, 606
Pepsin digestion, 339
Perennial hay fever from lycopodium, 590
vs. preseasonal treatment, 565
Phosphorus, blood inorganic, in allergy, 515
Pollen, air conditioning as means of removing, 37, 90

Pollen—Cont'd
allergens, chemical nature of, 115
enzyme digestion of, 338
allergy, pyrethrum sensitization in, 524 (Abst.)
and pollen extracts, 338
studies on, dextrose pollen extracts, therapeutic results in 1933, 561
bronchial asthma, antigen-free room in detection and control of cutaneous anergy in, 45, 90
content of air in Toronto in 1932, 306
extracts, 338
and pollen, studies on, dextrose pollen extracts, therapeutic results in 1933, 561
dextrose, preparation of, 564
dried and redissolved, activity of, 15
solubility of, 14
preservation of, by drying and preparation of concentrated pollen solutions, 13, 85
protein unit standardization of, proposed by Cooke and Stull, 341
ragweed, ultrafiltration of, 455
studies on, 115
injections and viosterol in therapy, 546
potency, studies in, 19, 110
ragweed, giant and dwarf, observed differences between, 533
solutions, preparation of concentrated, 13
studies on, 115
therapy, intradermal, during attack, 29, 78
intravenous, 230
unit, Noon, new definition of, 345
Pollinosis, air conditioning as means of relieving, 37, 90
in Gallup, New Mexico, probable etiology of, 166
Poison ivy, 568
and poison oak, percentage of persons susceptible to, 571
Polysaccharides, preparation of, 117
Prausnitz-Küstner reaction with serums of ragweed hay fever patients to ragweed carbohydrate fraction, 436 (Abst.)
Preseasonal vs. perennial treatment, 565
Protein extracts, rapid standardization of, by determining their nitrogen content, 70
sensitization, neurodermatitis due to, 53, 102
unit standardization of pollen extracts proposed by Cooke and Stull, 341
Proteins, native, passage of, through normal gastrointestinal wall, 630 (Abst.)
preparation of, 117
Proteose, urinary, in allergy, 373
Prurigo mitis and papular urticaria, relation of, to allergy, 240
Pulmonary and dermal sensitivity, comparison of, to inhaled substances, 285
involvement, recurrent, 347
lesions resembling pneumonia as result of allergic shock, 531
Pyrethrum sensitization in pollen allergy, 524 (Abst.)

R

Rabbit muscle extract, hypersensitive reactions to, production in rabbit of, by action of staphylococcus toxin, 466
Radical antrum operations, use of general anesthesia in allergic patients, 536
Ragweed carbohydrate fraction, Prausnitz-Küstner reaction with serums of ragweed hay fever patients to, 436 (Abst.)
extract, low hypersensitive reactions to, production in rabbit of, by action of staphylococcus toxin, 466
hay fever patients, Prausnitz-Küstner reaction with serums of, to ragweed carbohydrate fraction, 436 (Abst.)
pollen extracts, ultrafiltration of, 455
giant and dwarf, observed differences between, 533
Reaction, Prausnitz-Küstner, with serums of ragweed hay fever patients to ragweed carbohydrate fraction, 436 (Abst.)
Reactions, constitutional, 565
hypersensitive, to lens, rabbit muscle and low ragweed extracts, production in rabbit of, by action of staphylococcus toxin, 466
skin, in food sensitive patients, evaluation of, 135, 202
in infants, 488
negative, to gland extracts, 438 (Abst.)
vaccine skin, effects of immunization upon, 627
Reagin content of blister fluid, 331
Reagins to separate species of Caddis fly, comparison of, 367
Resistance, general, in streptococcic infection, relation of allergy to, 437 (Abst.)
Rhinitis, hyperesthetic, 632 (Abst.)
vasomotor, so-called nonallergic, 432
with negative skin tests, and local nasal allergy, 476
Room, antigen-free, in detection and control of cutaneous anergy in pollen bronchial asthma, 45, 90

S

Salt Lake City studies, 410
Sawdust dermatitis, 327 (Abst.)
Scars on skin, 33

Secretions in allergy of nose and paranasal sinuses, cytology of, 357, 432
Sedimentation rate in hay fever, 583
Sensitivity, pulmonary and dermal, comparison of, to inhaled substances, 285
to insulin, report on, with attempt at passive transfer, 606
to silk, 60, 102
Sensitization, active, in human beings, 257
passive atopic, susceptibility of skin of newborn to, 488
of guinea pigs with simple chemical compound, 526 (Abst.)
protein, neurodermatitis due to, 53, 102
to castor bean dust, 427
to pyrethrum in pollen allergy, 524 (Abst.)
Shock, allergic, pulmonary lesions resembling pneumonia as result of, 531
anaphylactic, human, from substances other than pollen and serum, 218
in dogs, output of epinephrine during, 221, 323
Silk allergen, study of, 505
hypersensitivity and inhalation of allergen in atopic dermatitis (neurodermatitis disseminatus), experiments in, 554
sensitivity, 60, 102
Sinus surgery, effect of, in asthma with infection, 621
Sinuses, paranasal, and nose, allergy of, cytology of secretions in, 357, 432
Skin conditions, allergic histogenic antibodies in, demonstration of, 436 (Abst.)
irritant, camomile as, 383
reactions in food sensitive patients, evaluation of, 135, 202
in infants, 488
negative, to gland extracts, 438 (Abst.)
to tobacco antigen in smokers and nonsmokers, 131
vaccine, effects of immunization upon, 627
scars, 33
testing, importance of adequate tests and their proper evaluations, 148, 201
tests, negative, vasomotor rhinitis with, and local nasal allergy, 476
Society for Study of Asthma and Allied Conditions, 527, 615
address commemorating tenth anniversary, 527
Sodium ricinoleate effects, 163
Soy bean as possible important source of allergy, 300, 322
Standardization, protein unit, of pollen extracts proposed by Cooke and Stull, 341
Staphylococcus toxin, production in rabbit of hypersensitive reactions to lens, rabbit muscle and low ragweed extracts by action of, 466
Streptococcic infection, general resistance in, relation of allergy to, 437 (Abst.)
Surgery, effect of, on bronchitic asthma, 328 (Abst.)
sinus, effect of, in asthma with infection, 621

T

Tests, importance of adequate, and their proper evaluations, 148, 201
Tobacco antigen, skin reactions to, in smokers and nonsmokers, 131
Tonsillectomy operations, use of general anesthesia in allergic patients, 536
Transfusion, blood, active transmission of urticaria by, 303
Travel, influence of, on hay fever symptoms, 420
Trichophytin—its use according to allergic principles, 521
Trichophyton and monilia extracts, their combined use in eczematous ringworm, 288

U

Ultrafiltration of ragweed pollen extracts, 455
Urinary proteose in allergy, 373
Urticaria, active transmission of, by blood transfusion, 303
and angioneurotic edema, critical review of 170 cases of, followed from two to ten years, 615
papular, and prurigo mitis, relation of, to allergy, 240
Urticarial idiosyncrasy to egg white in eczematous child, mechanism of, 631 (Abst.)
Utah region, clinical observations including botanical and air survey of, in hay fever studies, 406

V

Vaccine skin reactions, effects of immunization upon, 627
treatment, autogenous, 163
Vasomotor rhinitis with negative skin tests and local nasal allergy, 476
Viosterol of high potency in treatment of hay fever and asthma, 541
Virus immunity, early active, with particular reference to vaccinia in newborn infants, 592
Visceral manifestations of angioneurotic edema, 347

W

Water, drinking, as cause of asthma, 197, 199
Workmen compensation cases as seen by allergist, 212

5128